

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
2,5	12	PGWVZV002002500123	5410439002011	PZ 1	5	200	28800
	16	PGWVZV002002500163	5410439002028	PZ 1	5	200	28800
	20	PGWVZV002002500203	5410439002035	PZ 1	5	200	28800
3,0	10	PGWVZV002003000103	5410439213851	PZ 1	6	200	28800
	12	PGWVZV002003000123	5410439002042	PZ 1	6	200	28800
	16	PGWVZV002003000163	5410439002059	PZ 1	6	200	28800
	20	PGWVZV002003000203	5410439002066	PZ 1	6	200	28800
	25	PGWVZV002003000253	5410439002073	PZ 1	6	200	16000
	30	PGWVZV002003000303	5410439002080	PZ 1	6	200	16000
	35	PGWVZV002003000353	5410439002097	PZ 1	6	200	12000
	40	PGWVZV002003000403	5410439002103	PZ 1	6	200	9600
45	PGWVZV002003000453	5410439117425	PZ 1	6	200	7200	
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG</b>							
3,0	10	PGWVZV002003000102	5410439105255	PZ 1	6	1000	48000
	12	PGWVZV002003000122	5410439105262	PZ 1	6	1000	48000
	16	PGWVZV002003000162	5410439105279	PZ 1	6	1000	48000
	20	PGWVZV002003000202	5410439105286	PZ 1	6	1000	36000
	25	PGWVZV002003000252	5410439105293	PZ 1	6	1000	24000
	30	PGWVZV002003000302	5410439105309	PZ 1	6	1000	16000
	35	PGWVZV002003000352	5410439105316	PZ 1	6	1000	16000
	40	PGWVZV002003000402	5410439105323	PZ 1	6	1000	12000

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
3,5	12	PGWVZV002003500123	5410439002110	PZ 2	7	200	28800
	16	PGWVZV002003500163	5410439002127	PZ 2	7	200	16000
	20	PGWVZV002003500203	5410439002134	PZ 2	7	200	16000
	25	PGWVZV002003500253	5410439002141	PZ 2	7	200	16000
	30	PGWVZV002003500303	5410439002158	PZ 2	7	200	12000
	35	PGWVZV002003500353	5410439002165	PZ 2	7	200	12000
	40	PGWVZV002003500403	5410439002172	PZ 2	7	200	7200
	45	PGWVZV002003500453	5410439002189	PZ 2	7	200	7200
50	PGWVZV002003500503	5410439002196	PZ 2	7	200	7200	
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG</b>							
3,5	12	PGWVZV002003500122	5410439105330	PZ 2	7	1000	48000
	16	PGWVZV002003500162	5410439105347	PZ 2	7	1000	36000
	20	PGWVZV002003500202	5410439105354	PZ 2	7	1000	36000
	25	PGWVZV002003500252	5410439105361	PZ 2	7	1000	16000
	30	PGWVZV002003500302	5410439105378	PZ 2	7	1000	16000
	35	PGWVZV002003500352	5410439105385	PZ 2	7	1000	12000
	40	PGWVZV002003500402	5410439105392	PZ 2	7	1000	8000
	45	PGWVZV002003500452	5410439105408	PZ 2	7	1000	8000
50	PGWVZV002003500502	5410439105415	PZ 2	7	500	6000	

**PGWVZV****Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
-----------	-----------	----------	----------	----	------------	--	--

**STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG**

4,0	12	PGWVZV002004000123	5410439002202	PZ 2	8	200	28800
	16	PGWVZV002004000163	5410439002219	PZ 2	8	200	16000
	20	PGWVZV002004000203	5410439002226	PZ 2	8	200	16000
	25	PGWVZV002004000253	5410439002233	PZ 2	8	200	12000
	30	PGWVZV002004000303	5410439002240	PZ 2	8	200	12000
	35	PGWVZV002004000353	5410439002257	PZ 2	8	200	9600
	40	PGWVZV002004000403	5410439002264	PZ 2	8	200	7200
	45	PGWVZV002004000453	5410439002271	PZ 2	8	200	7200
	50	PGWVZV002004000503	5410439002288	PZ 2	8	200	7200
	55	PGWVZV002004000553	5410439002295	PZ 2	8	200	4800
	60	PGWVZV002004000603	5410439002301	PZ 2	8	200	4800
70	PGWVZV002004000703	5410439105538	PZ 2	8	200	3200	

**INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG**

4,0	12	PGWVZV002004000122	5410439105422	PZ 2	8	1000	36000
	16	PGWVZV002004000162	5410439105439	PZ 2	8	1000	36000
	20	PGWVZV002004000202	5410439105446	PZ 2	8	1000	24000
	25	PGWVZV002004000252	5410439105453	PZ 2	8	1000	16000
	30	PGWVZV002004000302	5410439105460	PZ 2	8	1000	16000
	35	PGWVZV002004000352	5410439105477	PZ 2	8	1000	12000
	40	PGWVZV002004000402	5410439105484	PZ 2	8	1000	8000
	45	PGWVZV002004000452	5410439105491	PZ 2	8	500	8000
	50	PGWVZV002004000502	5410439105507	PZ 2	8	500	6000
	55	PGWVZV002004000552	5410439105514	PZ 2	8	500	4000
	60	PGWVZV002004000602	5410439105521	PZ 2	8	500	4000

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
4,5	16	PGWVZV002004500163	5410439002332	PZ 2	9	200	16000
	20	PGWVZV002004500203	5410439002349	PZ 2	9	200	12000
	25	PGWVZV002004500253	5410439002356	PZ 2	9	200	12000
	30	PGWVZV002004500303	5410439002363	PZ 2	9	200	9600
	35	PGWVZV002004500353	5410439002370	PZ 2	9	200	7200
	40	PGWVZV002004500403	5410439002387	PZ 2	9	200	7200
	45	PGWVZV002004500453	5410439002394	PZ 2	9	200	7200
	50	PGWVZV002004500503	5410439002400	PZ 2	9	200	4800
	55	PGWVZV002004500553	5410439002417	PZ 2	9	200	4800
60	PGWVZV002004500603	5410439002424	PZ 2	9	200	3200	
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG</b>							
4,5	16	PGWVZV002004500162	5410439105545	PZ 2	9	1000	16000
	20	PGWVZV002004500202	5410439105552	PZ 2	9	1000	16000
	25	PGWVZV002004500252	5410439105569	PZ 2	9	1000	16000
	30	PGWVZV002004500302	5410439105576	PZ 2	9	1000	12000
	35	PGWVZV002004500352	5410439105583	PZ 2	9	500	8000
	40	PGWVZV002004500402	5410439105590	PZ 2	9	500	8000
	45	PGWVZV002004500452	5410439105606	PZ 2	9	500	6000
	50	PGWVZV002004500502	5410439105613	PZ 2	9	500	6000
	55	PGWVZV002004500552	5410439105620	PZ 2	9	500	4000
	60	PGWVZV002004500602	5410439105637	PZ 2	9	500	4000
	70	PGWVZV002004500702	5410439105644	PZ 2	9	200	3200

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
5,0	16	PGWVZV002005000163	5410439002455	PZ 2	10	200	12000
	20	PGWVZV002005000203	5410439002462	PZ 2	10	200	9600
	25	PGWVZV002005000253	5410439002479	PZ 2	10	200	9600
	30	PGWVZV002005000303	5410439002486	PZ 2	10	200	7200
	35	PGWVZV002005000353	5410439002493	PZ 2	10	200	7200
	40	PGWVZV002005000403	5410439002509	PZ 2	10	200	7200
	45	PGWVZV002005000453	5410439002516	PZ 2	10	200	4800
	50	PGWVZV002005000503	5410439002523	PZ 2	10	200	4800
55	PGWVZV002005000553	5410439002530	PZ 2	10	200	3200	
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG</b>							
5,0	16	PGWVZV002005000162	5410439105668	PZ 2	10	1000	16000
	20	PGWVZV002005000202	5410439105675	PZ 2	10	1000	16000
	25	PGWVZV002005000252	5410439105682	PZ 2	10	1000	12000
	30	PGWVZV002005000302	5410439105699	PZ 2	10	500	8000
	35	PGWVZV002005000352	5410439105705	PZ 2	10	500	8000
	40	PGWVZV002005000402	5410439105712	PZ 2	10	500	6000
	45	PGWVZV002005000452	5410439105729	PZ 2	10	500	6000
	50	PGWVZV002005000502	5410439105736	PZ 2	10	500	4000
	55	PGWVZV002005000552	5410439105743	PZ 2	10	500	4000
	60	PGWVZV002005000602	5410439105750	PZ 2	10	200	3200
	70	PGWVZV002005000702	5410439105767	PZ 2	10	200	2400

## PGWVZV

**Chipboard screw with double countersunk head, pozidriv**

with full thread, hardened and waxed

**Spaanderplaatschroef dubbel verzonken kop, pozidriv**

met volledige draad, gehard en gewaxt

**Vis à panneaux double tête fraisée, empreinte pozi**



avec filet complet, trempée et lubrifiée

**Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb**

mit Vollgewinde, gehärtet und gleitbeschichtet



DoP: MWVZV001



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
<b>STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG</b>							
6,0	30	PGWVZV002006000303	5410439002615	PZ 3	12	200	7200
	35	PGWVZV002006000353	5410439002622	PZ 3	12	200	4800
	40	PGWVZV002006000403	5410439002639	PZ 3	12	200	4800
	45	PGWVZV002006000453	5410439002646	PZ 3	12	200	3200
<b>INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG</b>							
6,0	35	PGWVZV002006000352	5410439105811	PZ 3	12	500	6000
	40	PGWVZV002006000402	5410439105828	PZ 3	12	500	4000
	45	PGWVZV002006000452	5410439105835	PZ 3	12	500	4000
	50	PGWVZV002006000502	5410439105842	PZ 3	12	200	3200
	55	PGWVZV002006000552	5410439105859	PZ 3	12	200	3200
	60	PGWVZV002006000602	5410439105866	PZ 3	12	200	2400
	70	PGWVZV002006000702	5410439105873	PZ 3	12	200	2400